

DATASHEET

Beer Keg Tag

Tag Code: L161171

Beer Keg Tag is used in beer keg management systems to track the location of each beer keg and collect information regarding usage and transport enabling better control and visibility. Omnia's beer keg tags operate effectively in metallic environment.



Electrical Specification

Air Interface Protocol	ISO/IEC 11784/85, Read Only Mode
Operational Frequency**	125kHz (134.2kHz on request)
Chip**	EM4200
	128 bit laser programmed ROM (64 & 96 bit option available)
	Several options of data rate and data encoding
	<ul style="list-style-type: none"> ❖ Manchester 32 & 64 RF clock per bit ❖ Biphase 32 & 64 RF clock per bit ❖ PSK 16 RF clock per bit ❖ FSK2 50RF clock per bit


Physical / Mechanical Specification

Dimension	Ø33.5±0.2mm
Thickness	13 ± 0.2mm
Weight	6.30 gm
Colour	Grey
Encasement	PC/ABS High Impact & Epoxy
Quality Assurance	100% reader tested

Environmental Resistance

Operating temperature	-40°C to +80°C
Storage temperature	-40°C to +80°C
Ingress protection rating	IP67
Attachment***	Adhesive/Metal Ring Welding
Expected Lifetime	Years in normal operating conditions

Dimensions



Chemical Resistance

Resistant to continuous exposure to salt water for 2 hours
Resistant to continuous exposure to motor oil for 2 hours
Additionally, abrasion resistant against HCL, MEK and IPA

Additional Services

Pre-encoding	On request
Customization***	Logo / text printing on request

* Actual Read range may vary depending upon the reader and environmental factor

** Other on request

*** Available as an option at extra cost

Order Information

Part No.	Description
L161171	With EM 4200 tuned at 125kHz
L161131	With EM 4305 tuned at 125kHz
L161055	With HitagS 256 tuned at 125kHz

Omnia Technologies Pvt. Ltd.

Corporate Office
691, Udyog Vihar Phase V, Gurugram, Haryana-122016, India, +91(124) 4203899, 4101506

Manufacturing Unit
Plot No. 68, Sector- 5, IMT Manesar, Gurugram, Haryana - 122050, INDIA | +91(124) 4366174, 4366411, +91 (124) 4366410 (Fax)