

LF Cattle Ear Tag

Product Code: L4X224A

Cattle Ear Tag is ideal for identification, tracking and health, history & nutrition management of cattle. It can be reusable or tamper-proof depending on application. It is available with different chips and memory sizes including FDX and HDX animal mode and can be made in custom colours.



Tag Dimensions



Air Interface Protocol	ISO/IEC 11784/85, Animal Mode, FDX	HDX
Operational Frequency	134.2KHz	
Chip**		
	SIC 7999 HDX	
	R/W user data memory of 6x32 (192 bits) for database management	
	 192 Bits, Extended Read Range HDX ❖ Supporting user access to factory unique ROM (UID), preventing chips from cloning ❖ Direct Access/Write mode ❖ Read-only Animal ID section when no command received Read/Write or OTP configuration 	
Read Range*	80 cm on Agrident Reader	
Operating temperature	-40°C to +80°C	
Storage temperature	-40°C to +120°C	
Ingress protection rating	IP67	
Attachment***	Male pin by applicator	
Expected Lifetime	Up to 5 Years in normal operating conditions	
Operating temperature	-40°C to +80°C	
Physical and Mec	hanical Specification	
	Close Cap	Open Cap
Model Diameter	Close Cap Ø30.4 mm	Open Cap Ø30.4 mm
Model		<u> </u>
Model Diameter	Ø30.4 mm	Ø30.4 mm
Model Diameter Height	Ø30.4 mm 15.50 mm	Ø30.4 mm 12 mm
Model Diameter Height Weight	Ø30.4 mm 15.50 mm 7.2 gm	Ø30.4 mm 12 mm
Model Diameter Height Weight Encasement Quality Assurance	Ø30.4 mm 15.50 mm 7.2 gm TPU	Ø30.4 mm 12 mm
Model Diameter Height Weight Encasement	Ø30.4 mm 15.50 mm 7.2 gm TPU 100% reader tested Yellow	Ø30.4 mm 12 mm
Model Diameter Height Weight Encasement Quality Assurance Color** Chemical Resistar	Ø30.4 mm 15.50 mm 7.2 gm TPU 100% reader tested Yellow	Ø30.4 mm 12 mm

Additional Services

Pre-encoding	On request
Customization***	Logo / text printing on request

Order Information

L46224A	With SIC 7999 HDX, Open Cap
L462131	With EM 4305 chip, Open Cap
L462055	With HitagS 256, Open Cap
L462219	With Hitag Micro, Open Cap
L47224A	With SIC 7999 HDX, Close Cap
L472131	With EM 4305 chip, Close Cap
L472055	With HitagS 256, Close Cap
L472219	With Hitag Micro, Close Cap

* Actual read range may vary depending upon the reader

** Other on request

*** | Available as an option at extra cost

Omnia Technologies Pvt. Ltd.

Plot No. 68, Sector-5, IMT Manesar, Gurugram, Haryana-122050, INDIA

Email: sales@omniatags.com