

UHF Endura Tag

Product Code: U6211510X

Endura Tag is designed for metal as well as for free air applications. It is very rugged constructed & high durable, it is overmolded tag. Its performance is good on metal as well as non-metallic objects. Can be fixed with the help of screws, rivets through holes provided or with industrial adhesive



Tag Dimensions



Electrical Specifications

Air Interface Protocol	ISO/IEC 18000-6C, EPC Global C1G2	
Operational Frequency	865 – 868 MHz or 902 – 928 MHz	
Chip	Alien Higgs-3	
Memory Configuration	EPC–96 bits, extendible to 480bits	
	TID – 96 bits unalterable unique	
	User memory – 512 bits	
	Access password – 32 bits	
	Kill password – 32 bits	
Read Range*	U6211510M	On metal – Up to 11 m on Fixed Reader with Linear Antenna
	U6211510F	Off metal – Up to 12 m on Fixed Reader with Linear Antenna
Operating temperature	-40°C to +80°C	
Storage temperature	-40°C to +80°C	
Ingress protection rating	IP68	
Attachment***	Self Adhesive / Cable tie	
Applicable surface	On Metal/Off Metal	


Physical and Mechanical Specification

Dimensions	95±0.5mm x 35±0.2mm x 8±0.2 mm
Hole Diameter	Ø 5.0mm
Weight	26 g
Encasement	ABS/PC
Colour**	Grey
Quality Assurance	100% reader tested

Chemical Resistance

Resistant to continuous exposure to salt water for 2 hours
Resistant to continuous exposure to motor oil for 2 hours
Additionally, abrasion resistant against HCL and IPA

Linear Frequency Graph



Additional Services

Pre-encoding	On request
Customization***	Logo / text printing on request

Order Information

U6211510M-EU / U6211510M-US	For on metal with Alien higgs-3 chip tuned at ETSI /FCC(US) frequency
U6211510F-EU / U6211510F-US	For off metal with Alien higgs-3 chip tuned at ETSI /FCC(US) frequency
U6211512M-EU / U6211512M-US	For on metal with Alien higgs-4 chip tuned at ETSI /FCC(US) frequency
U6211512F-EU / U6211512F-US	For off metal with Alien higgs-4 chip tuned at ETSI /FCC(US) frequency

- * Actual read range may vary depending upon the reader
- ** Other on request
- *** Available as an option at extra cost

Omnia Technologies Pvt. Ltd.

Plot No. 68, Sector-5, IMT Manesar, Gurugram, Haryana-122050, INDIA

Email: sales@omniatags.com