


# UHF Label - 81 x 21 mm

**Product Code: U8833722** 

A UHF 81 x 21 mm label tag is a long-range, passive UHF Gen2 tag. It is appropriate for tracking items/assets in an indoor setting. This Tag is perfect for tracking non-metallic items as well as pallet tracking. It is available in a variety of sizes and read ranges.




# **Tag Dimensions**



Floatrical Crosific		
<b>Electrical Specific</b>	<u>cations</u>	
Air Interface Protocol	ISO/IEC 18000-6C, EPC Global C1G2	
Operational Frequency	860 – 960 MHz	
Chip**	Imping Monza 730	
Memory Configuration	EPC-128 bit	
	TID – 96 bits / 48-bit unique serial number	
	User memory – NA	
	Access password – 32 bits	
	Kill password – 32 bits	
Data Retention	50 Years	
Writ endurance	200,000 cycles	
Read Range*	Up to 8 meters with the fixed reader with linear antenna	
Operating temperature	-40°C to +85°C	
Storage temperature	-40°C to +85°C	
Adhesive	Acrylic	
Attachment***	Self-Adhesive	
Applicable surface	Plastic, Wooden	
<b>Physical and Med</b>	chanical Specification	
Dimensions	81 x 21 mm	
Delivery format	Reel	
No. of labels per reel	10000 pcs/ reel	
Available Face material	Paper /PET	
Quality Assurance	100% reader tested	
<b>Chemical Resista</b>	nce	
Resistant to continuous ex	xposure to salt water for 2 hours	
Resistant to continuous ex	oposure to motor oil for 2 hours	
Additionally, abrasion resi	stant against HCL and IPA	

# **Linear Frequency Graph**



#### **Additional Services**

Pre-encoding	On request
Customization***	Logo/text printing on request

### **Order Information**

U883XX22	With M750 chip tuned at Global frequency

\* Actual read range may vary depending upon the reader

\*\* Other on request

\*\*\* | Available as an option at extra cost

Omnia Technologies Pvt. Ltd.

Plot No. 68, Sector-5, IMT Manesar, Gurugram, Haryana-122050, INDIA

Email: sales@omniatags.com